

Acronis

Acronis Backup Cloud plugin for LabTech

Table of contents

- 1 Introduction3**
- 2 What's new in Update 13**
- 3 Activating your account4**
- 4 System requirements5**
- 5 Installation of Acronis plugin6**
- 6 Creating customer groups7**
- 7 Installation of backup agents.....9**
- 8 Applying backup plans11**
- 9 Operations with backup plans14**
- 10 Monitoring backup status15**
- 11 Reporting16**
- 12 Recovery16**

1 Introduction

This document describes how to install and use the Acronis Backup Cloud plugin for LabTech. The integration with Acronis Backup Cloud enables IT service providers to easily back up any and all endpoints directly from the LabTech interface without going to the Acronis Backup Cloud web interface.

Once the plugin is installed and configured, the data protection properties are automatically available for all servers and workstations in any location.

The service providers can:

- Remotely install, update, and uninstall the backup agent on protected computers
- Easily apply and revoke the pre-defined backup plan at the client, location, or computer level
- Monitor backup status for errors and warnings
- Leverage the native LabTech reporting, ticketing and alerting functionality for handling backup events
- Provision new Acronis Backup Cloud customers

The service providers can go to the Acronis Backup Cloud web interface if they want to configure unique backup settings. The backup plans created in the Acronis Backup Cloud web interface are then synchronized and available for further use in the LabTech interface.

Recovery is performed exclusively via the Acronis Backup Cloud web interface.

Terminology conventions

We will refer to the Acronis Backup Cloud plugin as "Acronis plugin" throughout this document.

We will refer to the Acronis Backup Cloud web interface as "backup console" throughout this document.

2 What's new in Update 1

Automation

These features enable you to fully automate backups for all LabTech clients that use the backup service.

- **Automatic installation of backup agents at the client and location levels.**
Select the **Deploy agent on new machines automatically** checkbox at a client or location level. A backup agent will be silently installed on any computer that will be added to the client or location at a later time.
- **The capability to propagate a backup plan from one client to all of the clients.**
Import a backup plan from any Acronis Backup Cloud customer group at **Dashboard > Config > Integration > Acronis Backup Cloud > Imported Backup Plans**. If, according to the backup plan, the backups should be encrypted, create the encryption password.
An imported plan becomes available for all clients at the client, location, and computer levels. Click **Set as default** to make an imported plan the default for all clients.

Flexibility

These features give you the flexibility to adjust the integration to your needs, for example, to use a third-party system for ticketing.

- **The capability to disable creation of LabTech tickets and alerts related to Acronis Backup Cloud.**
Clear or select the **Ticket and alert integration** checkbox at **Dashboard > Config > Integration > Acronis Backup Cloud > Integration settings**.
- **The capability to delete the integration or edit the integration parameters without disrupting the backup service.**
Customers' backups continue to run regardless of changes made to the integration.

Usability

- **The predefined search for Windows computers that do not have a backup agent**
By using this search, located at **Searches > Backup Software > Backup - Acronis Backup Cloud (Machines Without Agent)**, you can create a group of computers from all clients and apply the installation script to this group.
- **The new button at the computer level leads to the recovery points in the backup console.**
Click **Recover** to proceed directly to recovery, without intermediate steps.
- **Support for the light color theme in LabTech 11.**

3 Activating your account

Prior to installing the plugin, please obtain an Acronis Backup Cloud account from an Acronis or partner sales representative. To obtain the account from Acronis, visit <http://www.acronis.com/en-us/provider/backup-cloud/> and click **Contact Us**.

After signing the partnership agreement, you will receive an email message containing the following information:

- **An account activation link.** Click the link and set the password for your account. Remember your login that is shown on the account activation page.
- **A link to the login page.** By using this link, you can access the backup console directly from a browser. The login and password are the same as in the previous step.

4 System requirements

Acronis plugin


The Acronis plugin can be installed on a LabTech Server running LabTech version 10.5 or 11 and .NET Framework 4.5.2 or later.

Acronis agents

Agents are applications that perform data backup, recovery, and other operations on the computers managed by Acronis. An agent can be installed in any Windows or Mac operating system supported by LabTech. For the exact list of supported operating systems, refer to http://www.acronis.com/en-us/support/documentation/Acronis_Backup_Cloud/index.html#33496.html.


Network requirements

The diagram below illustrates the network connections that are necessary for the Acronis plugin to work.



User rights

To install the plugin, a LabTech user must have the **Core > Plugin Manager** permission set to **Access**.



To use and access the plugin once it is installed, a LabTech user must have the **Plugin > Acronis Backup Cloud** permission set to **Access**.

5 Installation of Acronis plugin

You can download and install the Acronis plugin from the LabTech **Solution Center**.

Alternatively, use direct download links and install the plugin by using LabTech **Plugin Manager**.

- For LabTech v10.5
<http://dl2.acronis.com/u/cloud-integration/labtech/latest/AcronisLabTechPlugin.v10.zip>
- For LabTech v11
<http://dl2.acronis.com/u/cloud-integration/labtech/latest/AcronisLabTechPlugin.v11.zip>


6 Creating customer groups

Once the plugin is installed, sign in to Acronis Backup Cloud and create a customer group for each LabTech client whose computers you want to back up.

In this group, a customer account will be created. Its login and password will be used automatically when you click **Go to backup console** in the LabTech interface. You need to enter this login and password only if Acronis bootable media is used for recovery.

To sign in to Acronis Backup Cloud

1. Select **Dashboard > Config > Integration > Acronis Backup Cloud > Integration settings**.
2. Enter the Acronis Backup Cloud URL. This is the link you received in the account activation email message.
3. Enter the user name and password that you set when you activated your account in Acronis Backup Cloud.
4. [Optional] Disable the **Ticket and alert integration** check box, if you do not want LabTech to create tickets and raise alerts related to backup issues. For details, see "Monitoring backup status" (p. 15).
5. Click **Save**.



To set up a Customer group for a client

1. Double-click the client name, and then select the **Acronis Backup Cloud** tab.
2. Specify whether to create a new Acronis customer group or use a customer group that already exists in Acronis Backup Cloud.
3. [For a new group] Enter the required parameters and click **Create**.

- **Partner group**—The name of the partner group under which the customer group will be created. Normally, use the default setting. You have a choice only if there are partner groups under your partner group in Acronis Backup Cloud.
- **Customer group**—The customer group name. By default, this is the client name in LabTech.
- **Login**—The user name of the customer account. By default, it is combined from your account user name in LabTech and the client name.
- **Email**—The email address to which the notifications will be sent. By default, this is the email address of your account in LabTech.
- **Password**—The password of the customer account.
- **Storage**—The cloud storage for the customer group. You have a choice only if you registered your own storage or have multiple storages inherited from parent groups. Please be aware that this setting cannot be changed after the customer group is created.
- **Notification settings**—The level of notifications that will be sent to the above email address. By default, notifications about errors and warnings will be sent.
- **Language**—The language of the notifications and Acronis Backup Cloud web interface.

[For an existing group] Select the **Partner group** (if available), **Customer group**, and **Login** parameters, and then enter the password of the existing customer account.

The screenshot shows the 'NewClient#4 (ClientID: 2)' configuration window in Acronis Backup Cloud. The window has a blue header and a navigation bar with various tabs. The main area contains the following configuration options:

- Create a new Acronis customer group
- Use existing Acronis customer group
- Set up the name for the new group and the parameters of an account that will be created in this group.
- Partner group: Yankee
- Customer group: NewClient#4
- Login: User_NewClient4
- Email: Me@here.com (with a 'Change' button)
- Password: [Empty field]
- Storage: 127.0.0.5
- Notification settings: Errors and warnings
- Language: English
- [Create button]

At the bottom of the window, there are buttons for 'Print Client Report', 'Refresh', 'Cancel', and 'Save'.

7 Installation of backup agents


A backup agent must be installed on every computer that you want to back up. There are two installation methods: from the LabTech UI and by using the scripts provided with the plugin.

Installation from the LabTech UI

This method enables you to install agents on any computers within a client or location.

To install backup agents at a client or location level

1. Double-click the client or location.
2. Click **Acronis Backup Cloud**.
3. Select the computers that you want to back up. To identify the computers that do not have backup agents, use the **Machines without agent** tab.
4. [Optional] Select the **Apply default plan to machines without plans automatically** checkbox. The details of this setting are described in the next section.
5. [Optional] Select the **Deploy agent on new machines automatically** checkbox. If you do this, a backup agent will be silently installed on any computer that will be added to the client or location at a later time.
6. Click **Install agent**.



To install a backup agent at a computer level

1. Double-click the computer.
2. Click **Acronis Backup Cloud**.

3. Click **Install agent**.

Installation by using scripts

In addition to a client or a computer, an installation script can be applied to a group. You can group all computers that you need to back up, even from multiple clients, and install agents on these computers at once. There is a predefined search for this purpose at **Searches > Backup Software > Backup - Acronis Backup Cloud (Machines Without Agent)**. This search works for Windows computers only.

Also, this installation method enables you to install the backup monitor. The backup monitor is a small utility for end user self-service that appears in the tray area and enables users to see the backup progress; start and stop backups; or prevent backups from running. There are two installation scripts for installing agents with or without the backup monitor.

To install backup agents by using an installation script

1. Right-click the group that you want to apply the script to.
2. In the shortcut menu, select **Scripts > Backup and Recovery > Acronis**, and then choose one of the following scripts:
 - Acronis Backup Cloud agent Install/Upgrade
 - Acronis Backup Cloud agent Install/Upgrade with backup monitor
3. [Optional] Specify the schedule. Usually, you need to perform installation only once. You may want to set up a schedule if new computers will be added to the group at a later time.
4. Click **OK** to confirm the settings.

Updating backup agents

Updating is performed similarly to installation, either from the LabTech UI or by using the installation script. To identify the agents that require an update, use the **Machines with old agent** tab at the client or location level.

Uninstalling backup agents

Uninstallation is performed similarly to installation, either from the LabTech UI or by using the uninstallation script.


8 Applying backup plans

A backup plan is a set of rules that specify how the given data will be protected on a given computer.

A backup plan can be applied to one or multiple computers.

To apply a backup plan manually

1. Double-click the client or location.
2. Click **Acronis Backup Cloud**.
3. Select the computers that you want to back up. To identify the computers that do not have backup plans, use the **Machines without backup plan** tab.
4. Click **Apply plan**.
5. Select the backup plan. If no custom backup plans were created, only the default backup plan is available.
6. [Optional] Select the **Run the backup plan immediately** checkbox. If you do this, the backups will be started on all of the selected computers immediately
7. Click **Apply**.




Default backup plan

The default backup plan is **Entire machine to Cloud Storage**. According to this plan, a computer is backed up to the cloud storage daily from Monday to Friday at 11:00 PM.

You can recover any files from this backup, as well as individual volumes or the entire computer.

The retention rules are applied to each backup set separately:

2. Click **Import**.



3. Select the customer group. The software displays a list of backup plans available for this customer.
4. Select a plan. The software displays its details.
5. If, according to the backup plan, the backups should be encrypted, create the encryption password. Note that the same password will be used for all clients.

Important *There is no way to recover encrypted backups if you lose or forget the password*

6. Click **Import**.

The plan appears in the **Imported backup plans** list.

You can click **Set as default** to make an imported plan the default for all clients.

9 Operations with backup plans

To start a backup outside of its schedule

1. Double-click the computer that you want to back up.
2. Click **Acronis Backup Cloud**.
3. Select the backup plan that you want to run.
4. Click **Start backups**.

After refreshing the status, you will see the backup progress in the **Status** column.

To stop a running backup

1. Double-click the computer.
2. Click **Acronis Backup Cloud**.
3. Select the backup plan that has the **Backing up** status.
4. Click **Stop backups**.

This will stop the currently running backup and remove the incomplete backup file from the storage. The next backup will run as scheduled.

Unlike starting a backup, it is possible to stop a backup on multiple computers at once. Select the computers at a client or location level and click **Stop backups**.

To revoke a backup plan

1. Double-click the computer.
2. Click **Acronis Backup Cloud**.
3. Select the backup plan that you want to revoke.
4. Click **Revoke plan**.

The backup created by this plan will be kept. Any other plans applied to this computer will run as scheduled.

To revoke a backup plan from multiple computers

1. Double-click the client or location.
2. Click **Acronis Backup Cloud**.
3. Select the computers that you want to revoke the backup plan from.
4. Click **Revoke plan**.
5. Select the backup plan that you want to revoke.
6. Click **Revoke**.

10 Monitoring backup status

Monitoring at a client, location, or computer level

For each computer that has a backup plan, you can see the following parameters:

- The status, which is derived from the last backup result (**OK, Error, Warning, Not protected**)
- The last backup date and time
- The next backup date and time

Monitoring at the system level


The Acronis plugin installs the monitors that are listed below. These monitors enable LabTech to create tickets and raise alerts related to backup issues. To access the monitors in the LabTech console, double-click **Monitors** on the top menu, and then select the **Internal Monitors** tab.

- Acronis Backup - Clients - Critical Issues
- Acronis Backup - Clients - Non Critical Issues
- Acronis Backup - Clients - Warnings
- Acronis Backup - Computers - Critical Issues
- Acronis Backup - Computers - Non Critical Issues
- Acronis Backup - Computers - Warnings
- Acronis Backup - Computers - Missed Backups
- Acronis Backup - Computers - Not protected

To disable creating tickets and alerts related to Acronis Backup Cloud, clear the **Ticket and alert integration** checkbox at **Dashboard > Config > Integration > Acronis Backup Cloud > Integration settings**. The monitors will continue working, but the table they check will no longer be updated. You can enable the ticket and alert integration again at any time.

Monitoring in Backup Manager

You can use the native LabTech Backup Manager to monitor the backup status.



The screenshot shows the Backup Manager application window. On the left is a navigation pane with a tree view under 'Backup Manager' containing 'Settings' and 'All Machines' (3 items). Under 'All Machines', there are sub-items for 'All Servers' (1), 'All Workstations' (2), and their respective backup statuses (e.g., 'Backup Not Installed', 'Backup Installed', 'Last Backup Failed', 'Failed Within Last 7 Days', 'With Warnings/Errors'). A 'Filter by group:' dropdown is set to 'Add Group'. The main area features a 'Refresh' button and a table with columns: Client, Location, Comput..., Backup Solution Installed, Last ..., L..., J..., and Warn... The table lists three clients, all with 'Acronis Backup Cloud' installed and 'Completed' status. The status bar at the bottom shows '1 of 1' items, a search icon, and 'Total: 3'.

Client	Location	Comput...	Backup Solution Installed	Last ...	L...	J...	Warn...
Yankee ...	New Co...	DESKTO...	Acronis Backup Cloud	Completed	2...	0	0
Yankee ...	New Co...	mac-ma...	Acronis Backup Cloud	Completed	2...	0	3
Yankee ...	Main Of...	WIN-GR...				0	0

11 Reporting

Information about backups performed by Acronis Backup Cloud is present in the following LabTech reports:


- **Backup Health**
- **Backup History**

12 Recovery

To recover data to a computer

1. Double-click the computer.
2. Click **Acronis Backup Cloud**.

3. Click **Recover**. This will take you to the Acronis Backup Cloud interface and the recovery points for this computer will be displayed.



4. Follow the instructions described in Acronis Backup Cloud Help.
 - File recovery: http://www.acronis.com/en-us/support/documentation/Acronis_Backup_Cloud/index.html#32957.html
 - Machine recovery: http://www.acronis.com/en-us/support/documentation/Acronis_Backup_Cloud/index.html#33746.html

For full information about the recovery capabilities, refer to http://www.acronis.com/en-us/support/documentation/Acronis_Backup_Cloud/index.html#33517.html