

Citrix CPSM V11 Integration Manual

BackupAgent Service Manager

Installation Guide

Customer Name	
Cortex Release Version	11
Document Version	1.6 Last updated: 26 August 2014

1.1 Prerequisites

Citrix CPSM v11 (formerly known as Cortex) integrates with BackupAgent using the BackupAgent Active Directory Synchronisation feature. This feature needs to be working for BackupAgent before the Cortex Integration will succeed.

1.2 Create the initial set of Service Access Levels

BackupAgent's Active Directory Synchronisation relies on users being made member of Active Directory Security groups with specially crafted names. These groups have to be in the format:

BackupAgent_<Plan>_<Quota>_<Storage Group ID>

Where:

- <Plan> is either Home or Professional where Home is for desktop backups and Professional is for Server backups including Microsoft Exchange and Microsoft SQL server.
- <Quota> is the maximum storage space in gigabytes or megabytes e.g 500MB or 10GB
- <Storage Group ID> is the internal BackupAgent ID for the particular storage group.

CloudPortal puts users in and out of these groups as part of the actions when a user is put in a specific Service Access Level. For this to occur, each Service Access Level needs to have the following properties set

Therefore we would expect an access level to have the following properties analogous to the group name format:

1. Plan (either Home or Professional)
2. Quota (Integer number)
3. Quota unit(either MB or GB)
4. Storage Group ID

The location of the Security groups that the Service Provider has created when testing the BackupAgent service is set out in the Preparation Form. As a courtesy, it is usual to create a Service Access Level for the groups that they are managing.

CloudPortal creates these groups automatically and are put under the CortexSystem OU in Active Directory

1.3 Configure the customer's Organizational Structure

BackupAgent designed their Active Directory integration around Microsoft's HMC solution which always has the user at the root of the customer's Organizational Unit. Cortex allows for much more flexibility in terms of where the users can go in the Active Directory structure however if the customer wants to use BackupAgent service then they must have their users at the root of their Organizational Unit.

There are two options to meet this prerequisite. They are:

1. Set the User Structure Configuration property of cortex to be blanked out so that by default all users for all customers are created at the root of the customer's OU. This configuration will be enforced for all customers.
2. The customers who are given the BackupAgent service must be in the User Specified Organization Structure option and users given the BackupAgent service must be provisioned (or moved) to the Root of the Customer's OU. This can be done on a customer by customer basis and Cortex does not enforce the user's OU when provisioning the service to a user so it is a procedure that the customer must follow for it to work.

1. Configured Cortex to put users at the root of the customer's OU, or
2. Discussed the other option with the Service Provider.

1.4 Configuring the OU structure for the customer

As described in the paragraph above users should be placed in the root OU.

To do so change the property configurations to provision customers' OU without "{CustomerShortName}", and make the flat OU structure so that the users are created inside the root of the customer's OU. Go to Configuration > System Manager > Control Panel Properties page, find "CustomerOUName" and "UserStructureEnabled" properties, and change to the below values:

Cortex	CustomerOUName	%LongName%
Cortex	UserStructureEnabled	False

After the above update, click on "Refresh Local Cache" at the bottom of the page, and then return to "System Management" via the link at the top of the page.

VPN	VPNMail
-----	---------

Refresh Local Cache Encrypt Configuration File Decrypt Configuration File

The customer's OU structure should look like below after re-provisioning.

The screenshot shows the Active Directory Users and Computers console tree on the left, with the following structure:

- Active Directory Users and Computers [SZ1]
 - Saved Queries
 - test.local
 - Builtin
 - Computers
 - CortexSystem
 - Customers
 - Backup Agent Test
 - _Private
 - Donnerstag AG

The main pane shows the properties of the 'BackupAgent_Group@BABackup Agent Test' security group. The 'Name' field is highlighted and contains the path: test.local/Customers/Backup Agent Test/BA_Admin. Below the name field are buttons for 'Change...', 'Properties', and 'Clear'.

Name	Type
_Private	Container
BA_Admin	User
bakadmin_BAT	User
bakuser_BAT	User
CloudBackup BAT HOME2GB	Security Group - Global
CloudBackup BAT NONE	Security Group - Global
PROXY BAT ADMINS	Security Group - Global
Proxy BAT NONE	Security Group - Global
PROXY BAT PARTIAL	Security Group - Global

1.5 Installing the BackupAgent Service on the CloudPortal

1.5.1 Make sure the admin user that installs the service has the Schema Admin role

1. Go to the ISP customer and go to USERS
2. Click on the user you are going to import the service with(perhaps the same as the logged on user) and click on "Edit User"
3. Click on "Account Settings" and then on "Advanced Options"
4. Make sure the "All Services Schema Administrator" and "Service Schema Administrator" are both selected
5. Click on "Provision" to apply the changes

1.5.2 Import the service

6. Go to Configuration -> System Manager->Service Schema
7. On the left side click on "Import a service"
8. On the "Import a Service from File" screen click on Browse and select the "CloudBackup.Package" file you have downloaded. Then click on preview
9. Click on "Import" to import the service
10. Restart Cortex Queue Monitor

1.6 Configure the Service Properties

Many of the Service Properties of this service set the properties of the BackupAgent Administrator User that Cortex automatically creates for each customer and in general these will not need to be changed.

The properties that are usually set are:

1. **Go to Configuration-System Manager->Service Deployment**
2. **Under “Top Environment Services” click on the “CloudBackup” service and click on “Service Settings”**
3. **Under service settings make sure that the field BackupAgent OU Path contains the distinguished name of the OU where the BackupAgent group should be located.
i.e: OU=CloudBackup,OU=CortexSystem,DC=AD,DC=local**
4. **On the top right of the service settings Iframe click on “Category Filter” and select “Customer”**
5. **Make sure following fields are filled in with the values in the following list:**
 1. **Administrator User: BackupAdmin_{CustomerShortname}**
 2. **Administrator user UPN: BackupAdmin@{PrimaryDomain}**
 3. **Email Extension Attribute: ExtensionAttribute1**
 4. **The prefix for the customer's administration group: BackupAgent_Group**
As outlined in the description this can be altered from the default of “BackupAgent_Group@” to “BackupAgent_WhiteLabelGroup@” depending on the Service Provider’s requirement. This may need to be overridden only for certain resellers
The Preparation Form should indicate whether this is necessary.
6. **Click on “Apply” Changes and then on “Save”**

1.7 Creating and Configuring the User Plans

1. Go to Configuration-System Manager->Service Deployment
2. Under “Top Environment Services” click on the “CloudBackup” service and click on “User Plan”
3. If there are no userplans configured yet, enter a name for the user plan and then click on “Create”
If you already have one click on it to see its properties
4. Make sure following properties are filled in:
 1. BackupAgent plan: “Professional” or “Home”
 2. BackupAgent Quota Unit: “MB” or “GB”

3. BackupAgent Quota Size: "The size chosen for the package"
4. BackupAgent StorageID: The ID of the storage associated with the plan inside backupagent. This ID might as well be configured on location service level
5. Pattern for the AD
Group: **BackupAgent_{Plan}_{Quota}{QuotaUnit}_{StorageID}**(this is the default pattern)
5. Click on Apply Changes and then on Save to save the changes.
6. Go to "Active Directory Location Service" and click on CloudBackup.
7. Under User plans make sure the new created user plan is selected and click on save
8. Once that is done the user plan needs to be activated for the ISP reseller and for every subreseller/customer