

BackupAgent - Labtech Integration For Task Configuration

In addition to the base Labtech integration ([found here](#)) we've created a supplementary import XML set, which enables MSPs to perform mass configuration tasks. The XML import file is attached to this document at the bottom of the page.

With the BackupAgent configuration in LabTech we allow you to setup backup schedules directly from the LabTech console without interfering with the user.

CAUTION: By making the configuration from LabTech it will delete all previous backup schedules that were configured on the client.

CAUTION: It's required that you install the base integration first:


<https://kb.acronis.com/content/55772>

CONFIGURE CLIENT

You may configure file exclusions on the client level that will inherit down to all computers connected to this client.

If you however have configured file exclusions on a specific computer, those will be used.


1. Double click on a client
2. Go to tab Info -> BackupAgent Config
3. Configure file exclusions that will apply to all computers in this client
4. Click "Save Additional Information" to save the settings.



CONFIGURE COMPUTER

Double click on the computer where you want to configure BackupAgent, go to tab Info->BackupAgent Config.

1. Configure the folders you would like to back up in a comma separated list
2. OPTIONAL: Configure any file exclusions
3. Choose a time when the backup job will execute (Daily only)
4. OPTIONAL: Configure the profile name of a user account you would like to backup desktop, documents or favorites from. (If the user's desktop is located at C:\Users\John.Doe\Desktop, you would input John.Doe)
5. OPTIONAL: Choose to whether backup User Documents or not
6. OPTIONAL: Choose to whether backup User Desktop or not
7. OPTIONAL: Choose to whether backup User Favorites or not
8. Click "Save Additional Information"
9. Go to tab Info -> BackupAgent Config



- [Configure BackupAgent.xml](#) (20 KB)